











# Proposed FY24/25-FY28/29 Capital Improvement Program

Board of Directors Meeting May 8, 2024

### Overview CIP Development Process





#### **Financial Sustainability Guiding Principles**

- Critically review operating budget to identify budget adjustment needs and opportunities
- Ensure effective capital improvement program (CIP) prioritization that addresses critical infrastructure needs
- Utilize a 5-year rate model to identify costs and SSC revenue needed without sharp rate increases
- Maximize cash funding of CIP (vs. debt) to ensure lowest overall costs for District customers
- Maintain minimum reserve balance in Wastewater O&M Fund (40% of annual budgeted operating expenses)
- Factor growth into SSCs each year to ensure equitable cost allocation across customers
- Reserve future debt capacity for nutrient management, large-scale wastewater treatment plant upgrades
- Maintain SSCs below average relative to peer agencies

### Overview Proposed 5-year CIP



	Current 5-year CIP (FY23/24-FY27/28) =	\$139.1M
	<pre>Proposed 5-year CIP (FY24/25-FY28/29) =    +\$47.9M increase</pre>	\$187.0M
	<ul> <li>Required FY24/25 CIP budget appropriation =</li> </ul>	\$19.4M
	<ul> <li>Estimated FY24/25 carryover expenditures =</li> <li>Note: Estimated carryover budget for FY24/25 = \$5.0M</li> </ul>	<u>\$3.7M</u>
	<ul> <li>Estimated FY24/25 CIP expenditures =</li> </ul>	\$23.1M

## Major Factors Impacting Proposed 5-year CIP Development




	Current CIP =	Prop. CIP = \$187.0M		
Description	\$139.1M	(+\$47.9M)	Key Drivers	
Secondary Process	\$60M	<b>\$110M</b>	<ul> <li>Developed "Phase 1" with revised scope</li></ul>	
Improvements ( <b>Phase 1</b> )		(+\$50M)	and cost to support future nutrient removal	
Cogeneration System	\$7M	<b>\$13.5M</b>	<ul> <li>Updated cost based on detailed design</li></ul>	
Improvements		(+\$6.5M)	activities, assumes IRA tax credits (\$6.5M)	
Antioch Pump Station and Conveyance System Improvements	\$18.5M	<b>\$22.0M</b> (+\$3.5M)	<ul> <li>Incorporating "alternative project delivery" (e.g., progressive design build); corridor study needed; updated cost</li> </ul>	
Debt Financing	\$30M	<b>\$53.9M</b>	<ul> <li>Mitigate rate impacts via WIFIA loan</li></ul>	
Assumption		(+\$23.9M)	(favorable terms), potential bond issuance	

Staff has incorporated significant capital (+\$100M) into long-term term financial planning assumptions (Years 6-10) for Secondary Process Improvements Phase 2 to meet nutrient removal regulations


#### 5-Year CIP Highlights Planned Expenditures by Major Area



- Majority of CIP addresses critical aging infrastructure needs at WWTP (>72%) and conveyance system (19%)
- Progressing toward meeting new regulatory requirements for nutrients via \$20.7M in foundational, near-term investments (Secondary Process Improvements Phase 1)
- Added six new projects (\$6.7M)
- Continuing prioritized investment in **Bay Point collections** (\$5.0M)
- Planning for the future via five master planning efforts (\$1.9M)



#### Proposed 5-year CIP Overview Planned Expenditures by Fiscal Year



TRANSFORMING WASTEWATER TO RESOURCES

Delta

### FY24/25 SSC, CIP, and Budget Development Schedule Overview



March 2024	<ul> <li>3/13 Major Factors Impacting 5-Year CIP Development and Financial Assumptions</li> <li>3/27 Fin Comm: Review Proposed FY24/25 SSCs/Prop. 218 Notice</li> </ul>	
2024	<ul> <li>4/10 Review Proposed FY24/25 SSCs, Set Public Hearing, Approve Prop. 218 Notice</li> <li>4/23 Fin Comm: Review Draft 5-year CIP, FY24/25 Operating Budget Assumptions</li> </ul>	
May 2024	• 5/8 Review Draft 5-year CIP, Set Public Hearing Review FY24/25 Operating Budget Assumptions	
June 2024	• 6/12 Conduct 5-year CIP Public Hearing, Consider Approval Conduct FY24/25 SSC Public Hearing, Consider Approval, Authorize Collection Consider FY24/25 Budget Approval	

# **Recommended Board Actions**



- Receive and provide comments on proposed FY24/25-FY28/29 CIP
- Set Public Hearing for June 12, 2024, at 5:30 pm to consider approval of final FY24/25-FY27/29 CIP

